Message			
From: Sent: To: CC: Subject:	Nonresponsive based on revised scope @WestonSolutions.com]  2/6/2020 7:57:30 PM  Burman, Jarmael [Burman.Jarmael@epa.gov]; Nonresponsive based on revised scope @gdit.com]  Wagner, Christine [Wagner.Christine@epa.gov]; Nonresponsive based on revised scope @westonsolutions.com]  RE: RAS 48755		
Thank you	ı so much Jarmael.		
Tara			
Sent: Thur To: Nonresp Cc: Wagne Subject: RI ** Extern One aqueo Road Site) Jarmael A. US EPA Rep 701 Mapes Fort Mead	gion 3 - CLP PO/RSCC/DDS s Road le, Maryland 20755-5350 ·2743 (office)	m>; Nonresponsive ba	
Sent: Thur. To: Burma Cc: Wagne Subject: RA	responsive based on revised scope @WestonSolutions. rsday, February 6, 2020 2:29 PM an, Jarmael < <u>Burman Jarmael@epa.gov</u> > er, Christine < <u>Wagner Christine@epa.gov</u> >; No AS 48755 ernoon Jarmael,		@westonsolutions.com>

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

Would it be possible to add 1 more water sample for VOC and PCB analysis to Shiloh Church case 48755?

Thank you,

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.